

Package: topChef (via r-universe)

September 15, 2026

Type Package

Title Top Chef Data

Version 0.2.0

Author Levitz Carly E [cre, aut, cph]
(<https://orcid.org/0000-0003-3094-411X>)

Maintainer Levitz Carly E <celevitz@gmail.com>

Description Several datasets which describe the chef contestants in Top Chef, the challenges that they compete in, and the results of those challenges. This data is useful for practicing data wrangling, graphing, and analyzing how each season of Top Chef played out.

License MIT + file LICENSE

URL <https://github.com/celevitz/topChef>

BugReports <https://github.com/celevitz/topChef/issues>

Depends R (>= 4.2.0)

Imports dplyr (>= 1.1.0), tidyr (>= 1.3.0)

Suggests ggplot2 (>= 3.4.0), knitr, magrittr (>= 2.0.0), rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

Config/testthat/edition 3

Encoding UTF-8

Language en-US

LazyData true

RoxygenNote 7.3.1

Config/pak/sysreqs libicu-dev

Repository <https://celevitz.r-universe.dev>

Date/Publication 2026-06-17 06:33:45 UTC

RemoteUrl <https://github.com/celevitz/topchef>

RemoteRef HEAD

RemoteSha 86cab7fd273b49d50409b840b13e80f20d3a9275

Contents

challengedescriptions	2
challengewins	3
chefdetails	4
episodeinfo	5
judges	6
rewards	7
weightedindex	8
Index	9

challengedescriptions *challengedescriptions*

Description

A dataset containing information about each challenge that the Chefs compete in

Usage

```
data(challengedescriptions)
```

Format

This data frame contains the following columns:

season Name of season

seasonNumber Season number

series Top Chef US (listed as US); Top Chef US Masters (listed as US Masters); Top Chef Canada (listed as Canada)

episode Episode number

challengeType Challenge type: qualifying challenge, elimination, quickfire, sudden death quickfire, quickfire elimination, battle of the sous chefs

outcomeType Is the challenge run as a team or as an individual?

challengeDescription Description of the challenge

shopTime If they go shopping, how long do they have? Unit is minutes

shopBudget If they go shopping, what is their budget? Unit is dollars unless otherwise specified.

prepTime If they have prep time, how long do they have? Unit is minutes

cookTime How long they have to cook (in minutes)

productPlacement List of products promoted in the challenge, other than the usual series-wide product placement. Will be blank if none were mentioned

advantage If an advantage is offered to the winner of the challenge, it will be listed here: e.g., Immunity, choosing a protein in the elimination challenge, choosing your team in the elimination challenge. Will be blank if none were mentioned.

`lastChanceKitchenWinnerEnters` If someone comes in from Last Chance Kitchen at this challenge, their name will be listed here. Will be blank for all other challenges.

`restaurantWarWinner` Role played by the winner of restaurant wars: Executive Chef, Front of House, the full team, Line Cook, Roles Rotated, or No one won. Will only have values for Restaurant War episodes.

`restaurantWarEliminated` Role played by the Chef eliminated after restaurant wars: Executive Chef, Front of House, the full team, Line Cook, Roles Rotated. Will only have values for Restaurant War episodes.

`didJudgesVisitWinningTeamFirst` Categorical variable of which team was shown serving the judges first. Will only have values for Restaurant Wars episodes.

Source

https://en.wikipedia.org/wiki/Top_Chef

Examples

```
library(dplyr)
library(tidyr)
challengedescriptions %>%
  group_by(series, season, outcomeType) %>%
  summarise(n=n()) %>%
  pivot_wider(names_from=outcomeType, values_from=n)
```

challengewins

challengewins

Description

A dataset containing win and loss data for each chef in each episode

Usage

```
data(challengewins)
```

Format

This data frame contains the following columns:

`season` Name of season

`seasonNumber` Season number

`series` Top Chef US (listed as US); Top Chef US Masters (listed as US Masters); Top Chef Canada (listed as Canada)

`episode` Episode number

`inCompetition` True / false for whether the Chef was still in the competition at the time of the challenge

immune True / false for whether that Chef was immune from being eliminated for challenge
 advantage describes what advantage that chef had in that challenge
 chef Name of chef
 challengeType Challenge type: qualifying challenge, elimination, quickfire, sudden death quickfire, quickfire elimination, battle of the sous chefs
 outcome Result for each Chef in the competition for that challenge
 rating Numeric rating provided to chefs in Top Chef US Masters Seasons 1 and 2. Will be blank for all other seasons.

Source

https://en.wikipedia.org/wiki/Top_Chef

Examples

```
library(dplyr)
library(tidyr)
challengewins %>%
  group_by(outcome) %>%
  summarise(n=n())
```

chefdetails

chefdetails

Description

A dataset containing information on each Chef for each season. As of now, it has data for all Top Chef US seasons, Top Chef Masters (US), and one season of Top Chef Canada.

Usage

```
data(chefdetails)
```

Format

This data frame contains the following columns:

name Chef name (full name)
 chef Shorter version of the chef's name
 hometown Chef's hometown, if known
 city City in which the Chef lived at the time of show
 state State in which the Chef lived at the time of the show
 age Age of Chef at the time of the show
 season Name of season
 seasonNumber Season number

series Top Chef US (listed as US); Top Chef US Masters (listed as US Masters); Top Chef Canada (listed as Canada)
placement Final result of the Chef.
personOfColor Flag for whether the Chef is a person of color. Will be blank if they are not
occupation Occupation of Chef at time of show, if known
occupation_category Categorization of occupation
gender Gender of Chef

Source

https://en.wikipedia.org/wiki/Top_Chef

Examples

```
library(dplyr)
library(tidyr)
chefdetails %>%
  filter(season == "World All Stars")
```

episodeinfo

episodeinfo

Description

A dataset containing information about each episode

Usage

```
data(episodeinfo)
```

Format

This data frame contains the following columns:

season Name of season
seasonNumber Season number
series Top Chef US (listed as US); Top Chef US Masters (listed as US Masters); Top Chef Canada (listed as Canada); US LCK (Last Chance Kitchen); Just Desserts
overallEpisodeNumber Running number of episode within the series
episode Episode number
episodeName Name of episode
airDate Date the episode originally aired
nCompetitors Number of Chefs still in the competition

Source

https://en.wikipedia.org/wiki/Top_Chef

Examples

```
library(dplyr)
library(tidyr)
episodeinfo %>% filter(season=="World All Stars")
```

judges	<i>judges</i>
--------	---------------

Description

A dataset containing information about who were the guest judges for each challenge

Usage

```
data(judges)
```

Format

This data frame contains the following columns:

season Name of season

seasonNumber Season number

series Top Chef US (listed as US); Top Chef US Masters (listed as US Masters); Top Chef Canada (listed as Canada); US LCK (Last Chance Kitchen); Just Desserts

episode Episode number

challengeType Challenge type: qualifying challenge, elimination, quickfire, sudden death quickfire, quickfire elimination, battle of the sous chefs

outcomeType Is the challenge run as a team or as an individual?

guestJudge Name of guest judge

gender Gender of Chef

personOfColor Flag for whether the Chef is a person of color. Will be blank if they are not

competedOnTC Will have a value of Yes if they competed on a season of Top Chef

otherShows Information about other shows that this individual has appeared on

Source

https://en.wikipedia.org/wiki/Top_Chef

Examples

```
library(dplyr)
library(tidyr)
judges %>%
  filter(guestJudge == "Eric Ripert") %>%
  group_by(challengeType) %>%
  summarise(n=n())
```

rewards

*rewards***Description**

A dataset containing information about rewards and prizes won by challenge

Usage

```
data(rewards)
```

Format

This data frame contains the following columns:

season Name of season

seasonNumber Season number

series Top Chef US (listed as US); Top Chef US Masters (listed as US Masters); Top Chef Canada (listed as Canada); US LCK (Last Chance Kitchen); Just Desserts

episode Episode number

challengeType Challenge type: qualifying challenge, elimination, quickfire, sudden death quickfire, quickfire elimination, battle of the sous chefs

outcomeType Is the challenge run as a team or as an individual?

rewardType Variable describing whether the reward is money or a prize

reward Description of the full reward

chef Name of chef

Source

https://en.wikipedia.org/wiki/Top_Chef

Examples

```
library(dplyr)
library(tidyr)
rewards %>%
  filter(rewardType == "Money") %>%
  mutate(reward=as.numeric(reward)) %>%
  group_by(season) %>%
  summarise(total=sum(reward))
```

weightedindex	<i>Calculate One Season's Chef's Weighted Scores (Index)</i>
---------------	--

Description

Calculates the Index score for each person within a season of Top Chef.

Usage

```
weightedindex(  
  seriesname,  
  seasonnumberofchoice,  
  numberofelimchalls,  
  numberofquickfires  
)
```

Arguments

- seriesname Values can be: US, US Masters, Canada
- seasonnumberofchoice Integer of the season number within the series
- numberofelimchalls Number of elimination challenges you want to include in the index. Must be greater than 0
- numberofquickfires Number of quickfire challenges you want to include in the index. Must be greater than 0.

Details

The result of elimination challenges and quickfire challenges are weighted. Scoring: Elimination win = +7 points. Elimination high = +3 points. Elimination low = -3 points. Eliminated = -7 points. Quickfire win = +4 points. Quickfire high = +2 points. Quickfire low = -2 points. Combines Sudden Death Quickfires with Eliminations Excludes Qualifying Challenges Holding constant the number of elimination challenges and quickfire challenges will allow comparison across seasons if you want

Value

Tibble of index score for each contestant in that season and their placement

Index

* **datasets**

- challengedescriptions, [2](#)
- challengewins, [3](#)
- chefdetails, [4](#)
- episodeinfo, [5](#)
- judges, [6](#)
- rewards, [7](#)

- challengedescriptions, [2](#)
- challengewins, [3](#)
- chefdetails, [4](#)

- episodeinfo, [5](#)

- judges, [6](#)

- rewards, [7](#)

- weightedindex, [8](#)